



Government of India  
Ministry of Commerce & Industry  
Petroleum & Explosives Safety Organisation (PESO)  
5th Floor, A-Block, CGO Complex, Seminary Hills,  
Nagpur - 440006

E-mail : [explosives@explosives.gov.in](mailto:explosives@explosives.gov.in)  
Phone/Fax No : 0712 -2510248, Fax-2510577



Dated : 22/08/2017

Approval No : A/P/HQ/UP/104/5503 (P408166)

To, M/s. SENKO CO., LTD,  
73, Oesammi-ro 15 beon-gil, Osan-si, Gyeonggi-do, South Korea, 447-230,Gyeonggi-do  
447-230  
KOREA

29 AUG 2017

Sub : Approval of Intrinsically Safe Type Electrical Equ under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. **OIN121025** dated **08/08/2017** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **IS/ IEC 60079-11 : 2011, IS/IEC 60079-0 : 2011**, standards and covered under **KTL (Korea Testing Laboratory)** Test reports mentioned below is/are approved for use in **Zone 1** of Gas **IIC** hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	SGT Series Portable Single Gas Detector	Ex ia IIC T4 Ga	P408166/1	KTL (Korea Testing Laboratory)	IECEX KTL 15.0018	08/04/2016	as per test report

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the KTL (Korea Testing Laboratory) Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
  - (a) Name of the manufacturer
  - (b) Name and number by which the equipment is identified.
  - (c) Number & date of the test report of the KTL (Korea Testing Laboratory) applicable to the equipment.
  - (d) Equipment reference number of this letter by which use of apparatus is approved.
  - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the KTL (Korea Testing Laboratory) Test report and is identical with the one tested and certified at KTL (Korea Testing Laboratory) shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by KTL (Korea Testing Laboratory) in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative RESPO PRODUCTS, D 595 Kamla Nagar Agra

This approval also covers the permissible variations as approved under the KTL (Korea Testing Laboratory) test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.  
The Approval is Valid upto 31/12/2020

Yours faithfully,

(K Srinivasa Rao)  
Controller of Explosives  
For Chief Controller of Explosives  
Nagpur

for Chief Controller of Explosives  
Nagpur

Copy to :  
1. Jt. Chief Controller of Explosives, AGRA, AGRA  
2. RESPO PRODUCTS, D 595 Kamla Nagar Agra

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:- Please submit the revalidation application one month before the date of Expiry of approval otherwise approval will be treated as cancelled and a fresh application for approval will be considered for the approval.